

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.4
Revision Date: 13.06.2014
Superseded date: 21.02.2013**MOLYKOTE(R) HSC PLUS****1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY**

- 1.1 Product name** : MOLYKOTE(R) HSC PLUS
- 1.2 Identified uses** : Lubricants and additives
- Uses advised against** : None known.
- 1.3 Company** : Dow Corning Europe S.A.
rue Jules Bordet - Parc Industriel - Zone C
B-7180 Seneffe
Belgium
- E-mail address (Safety Data Sheet)** : sdseu@dowcorning.com
- Customer Service** : English Tel: +49 611237507
Deutsch Tel: +49 611237500
Français Tel: +32 64511149
Italiano Tel: +32 64511170
Español Tel: +32 64511163
- Fax: +32 64888683
- 1.4 Emergency Phone Number** : Dow Corning (Barry U.K. 24h) Tel: +44 1446732350
Dow Corning (Wiesbaden 24h) Tel: +49 61122158
Dow Corning (Seneffe 24h) Tel: +32 64 888240

2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

According to EU Directives 67/548/EEC or 1999/45/EC:

Not hazardous.

2.2 Label elements**Labelling according to EEC Directive**

S-phrases : S23(V) Do not breathe vapour.
S24/25 Avoid contact with skin and eyes.
S51 Use only in well-ventilated areas.

No special packaging or labelling requirements.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.4
Revision Date: 13.06.2014
Superseded date: 21.02.2013

MOLYKOTE(R) HSC PLUS

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Mixture of inorganic and organic compounds**According to EU Directives 67/548/EEC or 1999/45/EC:**

Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification
Copper	7440-50-8	231-159-6	-	22,0	N R50
Paraffin oils	8012-95-1	232-384-2	-	20,0	Xn R65
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	<=17,0	Substance with a Community workplace exposure limit
Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified	64742-56-9	265-159-2	-	<=17,0	Substance with a Community workplace exposure limit
Tin	7440-31-5	231-141-8	-	11,0	Substance with a Community workplace exposure limit
Polybutene	9003-29-6	Exempt or not available	-	11,0	Substance with a Community workplace exposure limit

According to Regulation (EC) No. 1272/2008:

Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification
Copper	7440-50-8	231-159-6	-	22,0	Acute aquatic hazard: Category 1 - H400
Paraffin oils	8012-95-1	232-384-2	-	20,0	Aspiration hazard: Category 1 - H304
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	<=17,0	Substance with a Community workplace exposure limit
Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified	64742-56-9	265-159-2	-	<=17,0	Substance with a Community workplace exposure limit
Tin	7440-31-5	231-141-8	-	11,0	Substance with a Community workplace exposure limit

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.4
Revision Date: 13.06.2014
Superseded date: 21.02.2013

MOLYKOTE(R) HSC PLUS

Polybutene	9003-29-6	Exempt or not available	-	11,0	Substance with a Community workplace exposure limit
------------	-----------	----------------------------	---	------	---

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

CLP classifications are based on all current available data including from known international organizations. These classifications are subject to revision as more information becomes available.

4. FIRST AID MEASURES

4.1 Description of First Aid Measures:

- On contact with eyes** : Flush with water.
- On skin contact** : Flush with water.
- If inhaled** : Remove to fresh air.
- On ingestion** : Do not induce vomiting. Obtain medical attention.

5. FIRE-FIGHTING MEASURES

- 5.1 Suitable extinguishing media** : On large fires use dry chemical, foam or water spray (fog). On small fires use carbon dioxide (CO₂), dry chemical or water spray. Water can be used to cool fire exposed containers.
- Unsuitable extinguishing media** : None known.
- 5.2 Hazards during fire fighting** : None known.
- Hazardous Combustion Products** : Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Sulphur products. Phosphorus products. Nitrogen products.
- 5.3 Special protective equipment/procedures** : A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** : Wear proper protective equipment.
- 6.2 Environmental precautions** : Do not allow large quantities to enter drains or surface waters.
- 6.3 Methods and materials for** : Scrape up and place in a container fitted with a lid. The spilled product produces an

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.4
Revision Date: 13.06.2014
Superseded date: 21.02.2013

MOLYKOTE(R) HSC PLUS

containment and cleaning up extremely slippery surface.

7. HANDLING AND STORAGE

- 7.1 Advice on safe handling** : General ventilation is recommended. Local ventilation is recommended. Avoid skin and eye contact. Do not breathe vapour. Do not empty into drains.
- 7.2 Advice on storage** : Do not store with oxidizing agents.
Storage temperature: minimum -10 °C, maximum 40 °C
- 7.3 Specific uses** : Refer to technical data sheet available on request.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Name	CAS-No.	Exposure Limits
Paraffin oils	8012-95-1	5 mg/m ³ TWA Oil Mist,mineral
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	10 mg/m ³ STEL Oil Mist,mineral 5 mg/m ³ TWA Oil Mist,mineral
Distillates (petroleum), solvent dewaxed light paraffinic; baseoil - unspecified	64742-56-9	10 mg/m ³ STEL Oil Mist,mineral 5 mg/m ³ TWA Oil Mist,mineral
Tin	7440-31-5	2 mg/m ³ TWA
Polybutene	9003-29-6	10 mg/m ³ STEL Oil Mist,mineral 5 mg/m ³ TWA Oil Mist,mineral

8.2 Exposure controls

Engineering Controls : Ventilation : Refer to Section 7.1

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.4

Revision Date: 13.06.2014

Superseded date: 21.02.2013

MOLYKOTE(R) HSC PLUS

Personal protection equipment

- Respiratory protection** : Suitable respiratory protection should be worn if the product is used in large quantities, confined spaces or in other circumstances where the OEL may be approached or exceeded.
Depending on the working conditions, wear a respiratory mask with filter(s) B or use a self-contained respirator.
The choice of a filter type depends on the amount and type of chemical being handled in the workplace. Regarding filter characteristics, contact your respiratory protection supplier.
- Hand protection** : Chemical protective gloves should be worn where repeated or prolonged contact can occur: Silver shield(TM). 4H(TM). Regarding glove's breakthrough time, contact your chemical protective glove supplier.
- Eye/face protection** : Safety goggles should be worn.
- Skin protection** : Wear impervious overalls in circumstances where significant skin contact can occur.
- Hygiene measures** : Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.
- Additional information** : These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.
- Environmental exposure controls** : Refer to section 6 and 12.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form** : Paste
- Colour** : Bronze
- Odour** : None
- Explosive properties** : No
- Specific Gravity** : 1,30
- Oxidizing properties** : No

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY

- 10.1 Reactivity** : None known.
- 10.2 Stability** : Stable under normal usage conditions.
- 10.3 Possibility of hazardous reactions** : None known.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.4

Revision Date: 13.06.2014

Superseded date: 21.02.2013

MOLYKOTE(R) HSC PLUS

- 10.4 Conditions to avoid** : None established.
- 10.5 Materials to avoid** : Can react with strong oxidising agents.
- 10.6 Hazardous decomposition products** : Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Sulphur products. Phosphorus products. Nitrogen products.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

- On contact with eyes** : Slightly irritating.
- On skin contact** : Slightly irritating.
- If inhaled** : No adverse effects are normally expected.
- On ingestion** : Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in lung oedema or pneumonia.

Chronic toxicity:

- On skin contact** : Can irritate on prolonged or repeated skin contact.
- If inhaled** : No adverse effects are normally expected.
- On ingestion** : Repeated swallowing may cause gastrointestinal irritation and disturbance.

Toxicokinetics, metabolism and distribution : No specific information is available.

Other Health Hazard Information : This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the current physical form of the product, which is not in a respirable form.
This product contains (a) liquid(s) hazardous in the form of aerosol or mist. This is not relevant to the current physical form of the product, which cannot be aerosolised.
Product may emit formaldehyde vapour at temperatures above 150°C in the presence of air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to eyes and the respiratory system. Exposure limits should be strictly respected.

¹ Based on product test data.

² Based on test data from similar products.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.4
Revision Date: 13.06.2014
Superseded date: 21.02.2013**MOLYKOTE(R) HSC PLUS****12. ECOLOGICAL INFORMATION****12.1 Ecotoxicity effects**

No adverse effects on aquatic organisms are predicted.

12.2 Persistence and degradability

Solid material, insoluble in water. No adverse effects are predicted.

12.3 Bioaccumulation

No bioaccumulation potential.

12.4 Release to waters / Mobility in soil**Fate and effects in waste water treatment plants:**

No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATIONS

Product and packaging disposal : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION**Road / Rail (ADR/RID)**

Not subject to ADR/RID.

Sea transport (IMDG)

Not subject to IMDG code.

Air transport (IATA)

Not subject to IATA regulations.

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Status**

TSCA : All chemical substances in this material are included on or exempted from listing on the

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 4.4
Revision Date: 13.06.2014
Superseded date: 21.02.2013**MOLYKOTE(R) HSC PLUS**

TSCA Inventory of Chemical Substances.

DSL	:	All ingredients listed or exempt.
EINECS	:	All ingredients listed, exempt or notified (ELINCS).
AICS	:	All ingredients listed, exempt or notified.
IECSC	:	All ingredients listed or exempt.
KECL	:	All ingredients listed, exempt or notified.
PICCS	:	All ingredients listed, exempt or notified.

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

Source of information: Internal data and publically available information

R50 Very toxic to aquatic organisms., **R65** Harmful: May cause lung damage if swallowed.

H304 May be fatal if swallowed and enters airways., **H400** Very toxic to aquatic life.