

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0
Revision Date: 18.02.2011
Superseded date: 02.07.2007**MOLYKOTE(R) LONGTERM W2 MULTI-PURPOSE GREASE****1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY**

1.1 Product name	:	MOLYKOTE(R) LONGTERM W2 MULTI-PURPOSE GREASE	
1.2 Identified uses	:	Lubricants and additives	
Uses advised against	:	None known.	
1.3 Company	:	Dow Corning Europe S.A. rue Jules Bordet - Parc Industriel - Zone C B-7180 Seneffe Belgium	
E-mail address (Safety Data Sheet)	:	sdseu@dowcorning.com	
Customer Service	:	English Deutsch Français Italiano Español	Tel: +49 611237507 Tel: +49 611237500 Tel: +32 64511149 Tel: +32 64511170 Tel: +32 64511163
			Fax: +32 64888683
1.4 Emergency Phone Number	:	Dow Corning (Barry U.K. 24h) Dow Corning (Wiesbaden 24h) Dow Corning (Seneffe 24h)	Tel: +44 1446732350 Tel: +49 61122158 Tel: +32 64 888240

2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

According to EU Directives 67/548/EEC or 1999/45/EC:

Not hazardous.

2.2 Label elements**Labelling according to EEC Directive****S-phrases** : S24/25 Avoid contact with skin and eyes.
S51 Use only in well-ventilated areas.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 18.02.2011

Superseded date: 02.07.2007

MOLYKOTE(R) LONGTERM W2 MULTI-PURPOSE GREASE

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Inorganic and organic compounds in mineral oil**According to EU Directives 67/548/EEC or 1999/45/EC:**

Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0	-	41,0	Substance with a Community workplace exposure limit
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	41,0	Substance with a Community workplace exposure limit
Calcium dihydroxide	1305-62-0	215-137-3	-	3,5	Xi R38 R41
Polybutene	9003-29-6	Exempt or not available	-	1,5	Substance with a Community workplace exposure limit

According to Regulation (EC) No. 1272/2008:

Name	CAS-No.	EINECS/ ELINCS No.	REACH Registration Number	Conc. (% w/w)	Classification
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	265-155-0	-	41,0	Substance with a Community workplace exposure limit
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	265-169-7	-	41,0	Substance with a Community workplace exposure limit
Calcium dihydroxide	1305-62-0	215-137-3	-	3,5	Skin corrosion/irritation: Category 2 - H315 Serious eye damage/eye irritation: Category 1 - H318
Polybutene	9003-29-6	Exempt or not available	-	1,5	Substance with a Community workplace exposure limit

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

CLP classifications are based on all current available data including from known international organizations. These classifications are subject to revision as more information becomes available.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 18.02.2011

Superseded date: 02.07.2007

MOLYKOTE(R) LONGTERM W2 MULTI-PURPOSE GREASE

4. FIRST AID MEASURES

4.1 Description of First Aid Measures:

- On contact with eyes** : Flush with water.
- On skin contact** : Flush with water.
- If inhaled** : Remove to fresh air.
- On ingestion** : Do not induce vomiting. Obtain medical attention.

5. FIRE-FIGHTING MEASURES

- 5.1 Suitable extinguishing media** : On large fires use dry chemical, foam or water spray (fog). On small fires use carbon dioxide (CO₂), dry chemical or water spray. Water can be used to cool fire exposed containers.
- Unsuitable extinguishing media** : None known.
- 5.2 Hazards during fire fighting** : None known.
- Hazardous Combustion Products** : Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Phosphorus products.
- 5.3 Special protective equipment/procedures** : A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** : Wear proper protective equipment.
- 6.2 Environmental precautions** : Do not allow large quantities to enter drains or surface waters.
- 6.3 Methods and materials for containment and cleaning up** : Scrape up and place in a container fitted with a lid. The spilled product produces an extremely slippery surface.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 18.02.2011

Superseded date: 02.07.2007

MOLYKOTE(R) LONGTERM W2 MULTI-PURPOSE GREASE

7. HANDLING AND STORAGE

- 7.1 Advice on safe handling** : General ventilation is recommended. Do not breathe spray or mist. Avoid skin and eye contact. Do not empty into drains.
- 7.2 Advice on storage** : Do not store with oxidizing agents.
- 7.3 Specific uses** : Refer to technical data sheet available on request.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Name	CAS-No.	Exposure Limits
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral
Polybutene	9003-29-6	10 mg/m3 STEL Oil Mist,mineral 5 mg/m3 TWA Oil Mist,mineral

8.2 Exposure controls

Engineering Controls : Ventilation : Refer to Section 7.1

Personal protection equipment

- Respiratory protection** : A suitable respirator must be worn if the product is used in any circumstances where an aerosol or mist may be generated, such as during spraying or similar activities. Depending on the working conditions, wear a respiratory mask with filter(s) P or use a self-contained respirator. The choice of a filter type depends on the amount and type of chemical being handled in the workplace. Regarding filter characteristics, contact your respiratory protection supplier.
- Hand protection** : Chemical protective gloves should be worn where repeated or prolonged contact can occur: Silver shield(TM). Nitrile rubber. 4H(TM). Regarding glove's breakthrough time,contact your chemical protective glove supplier.
- Eye/face protection** : Safety goggles should be worn.
- Skin protection** : Protective equipment is not normally necessary.
- Hygiene measures** : Exercise good industrial hygiene practice. Wash after handling, especially before eating, drinking or smoking.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 18.02.2011

Superseded date: 02.07.2007

MOLYKOTE(R) LONGTERM W2 MULTI-PURPOSE GREASE

Additional information : These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions. These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

Environmental exposure controls : Refer to section 6 and 12.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Grease

Colour : White

Odour : Slight

Explosive properties : No

Specific Gravity : 0,96

Oxidizing properties : No

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY

10.1 Reactivity : None known.

10.2 Stability : Stable under normal usage conditions.

10.3 Possibility of hazardous reactions : None known.

10.4 Conditions to avoid : None established.

10.5 Materials to avoid : Can react with strong oxidising agents.

10.6 Hazardous decomposition products : Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde. Phosphorus products.

11. TOXICOLOGICAL INFORMATION**Acute toxicity:**

On contact with eyes : Slightly irritating.

On skin contact : Slightly irritating.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 18.02.2011

Superseded date: 02.07.2007

MOLYKOTE(R) LONGTERM W2 MULTI-PURPOSE GREASE

If inhaled	:	No adverse effects are normally expected.
On ingestion	:	Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in lung oedema or pneumonia.
<u>Chronic toxicity:</u>		
On skin contact	:	Can irritate on prolonged or repeated skin contact.
If inhaled	:	No adverse effects are normally expected.
On ingestion	:	Repeated swallowing may cause gastrointestinal irritation and disturbance.
<u>Toxicokinetics, metabolism and distribution</u>	:	No specific information is available.
<u>Other Health Hazard Information</u>	:	This product contains (a) powder(s) hazardous by inhalation. This is not relevant to the current physical form of the product, which is not in a respirable form.

¹ Based on product test data.² Based on test data from similar products.**12. ECOLOGICAL INFORMATION****12.1 Ecotoxicity effects**

No adverse effects on aquatic organisms are predicted.

12.2 Persistence and degradability

Solid material, insoluble in water. No adverse effects are predicted.

12.3 Bioaccumulation

No bioaccumulation potential.

12.4 Release to waters / Mobility in soil**Fate and effects in waste water treatment plants:**

No adverse effects on bacteria are predicted.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0
Revision Date: 18.02.2011
Superseded date: 02.07.2007**MOLYKOTE(R) LONGTERM W2 MULTI-PURPOSE GREASE****13. DISPOSAL CONSIDERATIONS**

Product and packaging disposal : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

14. TRANSPORT INFORMATION**Road / Rail (ADR/RID)**

Not subject to ADR/RID.

Sea transport (IMDG)

Not subject to IMDG code.

Air transport (IATA)

Not subject to IATA regulations.

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Status**

AICS : All ingredients listed, exempt or notified.
DSL : All ingredients listed or exempt.
IECSC : All ingredients listed or exempt.
EINECS : All ingredients listed, exempt or notified (ELINCS).
ENCs/ISHL : All ingredients listed, exempt or notified.
KECL : All ingredients listed, exempt or notified.
PICCS : All ingredients listed, exempt or notified.

SAFETY DATA SHEET

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0

Revision Date: 18.02.2011

Superseded date: 02.07.2007

MOLYKOTE(R) LONGTERM W2 MULTI-PURPOSE GREASE**16. OTHER INFORMATION**

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

Source of information: Internal data and publically available information

R38 Irritating to skin., **R41** Risk of serious damage to eyes.

H315 Causes skin irritation., **H318** Causes serious eye damage.