

According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 18.03.2013

Superseded date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1 Product name : MOLYKOTE(R) SEPARATOR SPRAY

1.2 Identified uses : Anti-set-off and anti-adhesive agents

Uses advised against : None known.

1.3 Company : Dow Corning Europe S.A.

rue Jules Bordet - Parc Industriel - Zone C

B-7180 Seneffe Belgium

E-mail address (Safety

Data Sheet)

sdseu@dowcorning.com

Customer Service : English Tel: +49 611237507

 Deutsch
 Tel: +49 611237500

 Français
 Tel: +32 64511149

 Italiano
 Tel: +32 64511170

 Español
 Tel: +32 64511163

Fax: +32 64888683

1.4 Emergency Phone

Number

Dow Corning (Barry U.K. 24h)

Dow Corning (Wiesbaden 24h)

Dow Corning (Seneffe 24h)

Tel: +44 1446732350

Tel: +49 61122158

Tel: +32 64 888240

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

According to EU Directives 67/548/EEC or 1999/45/EC:

R12 Extremely flammable.

2.2 Label elements

Labelling according to EEC Directive

Symbols : F+ Extremely flammable.

R-phrases : R12 Extremely flammable.

S-phrases : S2 Keep out of the reach of children.

S16 Keep away from sources of ignition - no smoking.

S23(S) Do not breathe spray.S29 Do not empty into drains.S51 Use only in well-ventilated areas.

S60 This material and its container must be disposed of as hazardous waste.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 18.03.2013

Superseded date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

Do not spray on a naked flame or any incandescent material.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Silicone

According to EU Directives 67/548/EEC or 1999/45/EC:

Name CAS-No. EINECS/ REACH Conc. Classification

ELINCS Registration (% w/w)

No. Number

Butane 106-97-8 203-448-7 - 75.0 F+ R12

According to Regulation (EC) No. 1272/2008:

Name CAS-No. EINECS/ REACH Conc. Classification

ELINCS Registration (% w/w)

No. Number

Butane 106-97-8 203-448-7 - 75.0 Flammable gas: Category 1 - H220

Gases under pressure: Liquefied gas $\,$ - $\,$ H280

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

CLP classifications are based on all current available data including from known international organizations. These classifications are subject to revision as more information becomes available.

4. FIRST AID MEASURES

4.1 Description of First Aid Measures:

On contact with eyes : Flush with water.

On skin contact : Flush with water.

If inhaled : Remove to fresh air. Obtain medical attention.

On ingestion : Obtain medical attention.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 18.03.2013

Superseded date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

5. FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media

: On large fires use dry chemical, foam or water spray (fog). On small fires use carbon dioxide (CO2), dry chemical or water spray. Water can be used to cool fire exposed

containers.

Unsuitable extinguishing

media

None known.

5.2 Hazards during fire

fighting

Pressurised container capable of exploding if heated.

Hazardous Combustion

Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Silica Carbon oxides and traces of incompletely

the following decomposition products: Silica. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.

5.3 Special protective equipment/procedures

·es

A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to

keep fire exposed containers cool.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

A self-contained respirator and protective clothing should be worn. Determine the need to evacuate or isolate the area according to your local emergency plan. Eliminate all possible sources of ignition.

6.2 Environmental precautions

Prevent from spreading or entering into drains, ditches or rivers by using sand, earth or other appropriate barriers.

6.3 Methods and materials for containment and cleaning

Determine the need to evacuate or isolate the area according to your local emergency plan. Eliminate all possible sources of ignition.

up

7. HANDLING AND STORAGE

7.1 Advice on safe handling : General ventilation is required. Local ventilation is required. Avoid eye contact. Do not

breathe spray or mist. Do not spray on a naked flame or any incandescent material. Keep

away from sources of ignition - no smoking. Do not empty into drains.

7.2 Advice on storage : Pressurized container: protect from sunlight and do not expose to temperatures exceeding

50°C. Do not pierce or burn, even after use. Store in a flameproof, well ventilated area.

7.3 Specific uses : Refer to technical data sheet available on request.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 18.03.2013

Superseded date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Name CAS-No. Exposure Limits

Butane 106-97-8 600 ppm TWA

750 ppm STEL 1,450 mg/m3 TWA 1,810 mg/m3 STEL

8.2 Exposure controls

Engineering Controls : Ventilation : Refer to Section 7.1

Personal protection equipment

Respiratory protection: A suitable respirator must be worn if the product is used in any circumstances where an

aerosol or mist may be generated, such as during spraying or similar activities.

Suitable respiratory protection should be worn if the product is used in large quantities, confined spaces or in other circumstances where the OEL may be approached or

exceeded.

Depending on the working conditions, wear a respiratory mask with filter(s) AXP or use

a self-contained respirator.

The choice of a filter type depends on the amount and type of chemical being handled in the workplace. Regarding filter characteristics, contact your respiratory protection

supplier.

Hand protection : Gloves are not normally required.

Eye/face protection : Safety glasses should be worn.

Skin protection : Protective equipment is not normally necessary.

Hygiene measures : Exercise good industrial hygiene practice. Wash after handling, especially before eating,

drinking or smoking.

Additional information: For further information regarding the use of silicones / organic oils in consumer aerosol

applications, please refer to the guidance document regarding the use of these types of materials in consumer aerosol applications that has been developed by the silicone industry (www.SEHSC.com) or contact the Dow Corning customer service group.

Environmental exposure

<u>controls</u>

Refer to section 6 and 12.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Aerosol

Colorless : Colorless



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 18.03.2013

Superseded date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

Odour : None

Specific Gravity : 0.59

The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY

10.1 Reactivity : None known.

10.2 Stability : Stable under normal usage conditions.

10.3 Possibility of hazardous

reactions

None known.

10.4 Conditions to avoid : Eliminate all possible sources of ignition.

10.5 Materials to avoid : Can react with strong oxidising agents.

10.6 Hazardous decomposition :

products

Thermal breakdown of this product during fire or very high heat conditions may evolve

the following decomposition products: Silica. Carbon oxides and traces of incompletely

burned carbon compounds. Formaldehyde.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

On contact with eyes : Slightly irritating.

On skin contact : Slightly irritating.

If inhaled : May cause pulmonary oedema and pneumonitis.

On ingestion : Small amounts transferred to the mouth by fingers during use should not injure.

Chronic toxicity:

On skin contact : Can irritate on prolonged or repeated skin contact.

If inhaled : May cause pulmonary oedema and pneumonitis.

On ingestion : Small amounts transferred to the mouth by fingers during use should not injure.

Toxicokinetics, metabolism

and distribution

No specific information is available.

Other Health Hazard

Information

Product may emit formaldehyde vapour at temperatures above 150°C in the presence of air. Formaldehyde vapour is a suspected carcinogen, toxic by inhalation and irritating to

eyes and the respiratory system. Exposure limits should be strictly respected.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 18.03.2013

Superseded date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

- Based on product test data.
- Based on test data from similar products.

12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity effects

No adverse effects on aquatic organisms.

12.2 Persistence and degradability

Siloxanes are removed from water by sedimentation or binding to sewage sludge. In soil, siloxanes are degraded.

12.3 Bioaccumulation

No bioaccumulation potential.

12.4 Release to waters / Mobility in soil

Fate and effects in waste water treatment plants:

Removed > 90% by binding onto sewage sludge. No adverse effects on bacteria. The siloxanes in this product do not contribute to the BOD.

13. DISPOSAL CONSIDERATIONS

Product and packaging

disposal

Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

14. TRANSPORT INFORMATION

Road / Rail (ADR/RID)

UN No. : UN 1950

Proper Shipping Name : AEROSOLS

Class : 2

Labels : 2.1

Sea transport (IMDG)

UN No. : UN 1950

Proper Shipping Name : AEROSOLS



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 18.03.2013

Superseded date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

Class : 2.1

Emergency Schedule : F-D

(EmS) S-U

Air transport (IATA)

UN No. : UN 1950

Proper Shipping Name : Aerosols, flammable

Class : 2.1

Labels : Flammable Gas

: Apply Gross Wt Supplemental Label to Outer Package if shipping Limited Quantity

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Status

EINECS : All ingredients listed, exempt or notified (ELINCS).

TSCA : All chemical substances in this material are included on or exempted from listing on the

TSCA Inventory of Chemical Substances.

AICS : All ingredients listed, exempt or notified.

IECSC : All ingredients listed or exempt.

PICCS : All ingredients listed, exempt or notified.

DSL : All ingredients listed or exempt.



According to article 31 and Annex II of the EU REACH Regulation

Version: 2.0 Revision Date: 18.03.2013 Superseded date: 04.06.2009

MOLYKOTE(R) SEPARATOR SPRAY

16. OTHER INFORMATION

This product safety data sheet was prepared in compliance with article 31 and Annex II of the EU REACH Regulation as well as its relevant amendements, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

It is the responsibility of persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. If the recipient subsequently produces a formulation containing the Dow Corning product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Dow Corning Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH Regulation.

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Dow Corning shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.

As stated above, this Safety Data Sheet has been prepared in compliance with applicable European law. If you purchase this material outside Europe, where compliance laws may differ, you should receive from your local Dow Corning supplier a SDS applicable to the country in which the product is sold and intended to be used. Please note that the appearance and content of the SDS may vary - even for the same product - between different countries, reflecting the different compliance requirements. Should you have any question, please refer to your local Dow Corning supplier.

Source of information: Internal data and publically available information

R12 Extremely flammable.,

H220 Extremely flammable gas., H280 Contains gas under pressure; may explode if heated.