

# White Oil ISO 15 & 68

#### **Product Description**

White Oils are highly refined mineral oils that consist of saturated aliphatic and alicyclic nonpolar hydrocarbons. They are hydrophobic, essentially colourless, tasteless, odourless and do not change colour over time. White Oils are chemically and biologically stable, noncomedogenic and do not support pathogenic bacterial growth.

Their high degree of purity and inertness makes them highly suitable for many applications

- Food and Drug: White Oils meet stringent standards laid down by government and industry approval bodies. They are used in applications such as dough dividing and release agents.
- Pharmaceutical and personal care: Their inert nature enables them to lubricate, soften, extend and resist moisture. They are used in products as diverse as antibiotics, baby oils, lotions, shampoos, sunscreens and sun baths.
- Plastics: White Oils lubricate, plasticise and wet-out polymers during moulding and extrusion. They also improve hot melt adhesives, lubricate synthetic fibres, insulate electrical wires and keep compressors running.
- Other: Dust suppression in wheat silos, leather tanning, foam control in vinegar production

### Standards

Conform to requirements of British 2002 Liquid Paraffin and US 25 NF19 mineral Oil/Light Mineral Oil (85) Pharmacopoeias. Meets or exceeds US FDA 21 CFR 172.878, 21 CFR 178.3620a, USDA H1 food processing lubrication standards for direct food contact. Anglomoil White Oil 15 & 68 are NFS H-1 listed for use where incidental food contact can occur.

#### **ISO 68 ISO15** NSF H-1 Listing No. 145943 145943 Water White Water White Appearance Colour Saybolt + 30 min + 30 min **Brookfield Viscosity** TM2201 Report at 40°C, cPs Report at 40°C, cPs Kinematic Viscosity @ 40°C ASTM D445 64 – 75 cS 13.8 - 16.5 cS Flash Point ASTM D92 229 °C typ 185 °C typ **Pour Point** ASTM D97 -6.7 °C typ -9.4 °C typ Polycyclic Aromatic Hydrocarbons TM 1606 Conform BP/USP Conform BP **Readily Carbonisable Substances** BP 2002 Conform BP Conform BP Solid Paraffin's BP 2002 Conform BP Conform BP Specific Gravity 0.863 typ 0.853 typ

## **Typical Characteristics**

Master Item# 2471 & 2473 Pack Size Availability: 20L, 200L, IBC=1000L

Last Updated: 26<sup>th</sup> July 2021

Sydney | Melbourne | Newcastle | New Zealand | Vietnam AnglomOil Lubricants Group Pty. Ltd. | ABN 83 622 865 091 Int HQ: 2 Beaumont Road, Mt. Kuring-gai NSW 2080 Australia | Australia: P 1300 264 566 Int: P +61 2 9457 8566 | F +61 2 9457 8057 | E info@anglomoil.com | W www.anglomoil.com